# Innovative tools for PLUMBERS PLUMBERS



2023



# DELUXE MIXER TAP SOCKET SET

For installing and replacing mixer tans

• For accessing hard to reach nuts on mixer taps

• Kit Contains: Palm wrench, 8 deep sockets, 2 extension bars, universal joint, palm-sized ratchet handle





PTPW545

## PALM WRENCH

## Finally, a tool designed specifically for flexible connectors

- Taper fits all brands of connector
- No more adjusting of wrenches
- Handy palm size allows easy use in the most confined spaces





PLTG145

# GRADIENT LEVEL ADJUSTABLE

OC

#### Great drainers' tool

- Set dial to gradient required
- As used by plumbing inspectors
- Can also be used as a standard level
- Adjustable 600mm
- Strong construction
- Standard kit assembles to 1150mm
- Extra extensions available




PTT0542

## SLUICE VALVE, KEY & HANDLE

#### Fits sluice valves & water main valves

- Collapses for easy storage in a PVC container
- Strong construction
- Standard kit assembles to 1150mm
- Extra extensions available





Remove washers from the deepest breech or basin set

• Super long & Slim - 270mm

**PTPW257** 




#### BREECH STRAIGHTENER

Straightens breeches & lugged elbows before fit-off

• Can be reversed to straighten lugged elbows







# TAP HOLE CUTTER

#### Safely cuts holes in stainless steel sinks

- Waste is split in two for easy removal
- Bearing allows for easy cutting
- 32mm & 35mm come with step drill

22mm: PTTH684

32mm: PTTH325

35mm: PTTH308







PTSA656

# SPINDLE ACCESS DRILL

#### The problem of tiles too close to the spindles has been solved

- Cuts tiles to allow access to tap body
- Diamond core drill will cut even the hardest of porcelain tiles
- Nylon bush prevents damage to the spindle





PTTS745

# TUBE SPANNER KIT

# Removes recessed and extended tap bodies

- Will not round out under stress; strongest on the market
- Kit Contains: Hex 20mm x 21mm, Hex 22mm x 23mm, Hex 29mm x Square 24mm, Hex 25mm & Hex 28mm, Turning Bar 230mm
- Made in Germany









**PTTH278** 

# TAP HANDLE PULLER


# At last a tap puller designed for plumbers

- A must for maintenance plumbers
- Unique shroud stops slipping
- Holes in arms allow for removal of Ezy Clean handles










# TAP FLANGE REMOVER

Remove difficult tap flanges easily without damage

- Use with your hand to increase grip x 3
- Grips any shaped flange
- Use very carefully with round jaw multi-grips to remove stubborn flanges
- Be sure to grab the rubber on the flap area



PTTF5324



PTPS586

## GAL PIPE REMOVER KIT

For removing broken, rusted galvanised pipe from fittings

• To suit 1/2 and 3/4 inch pipe





**Compress button** 

Kick cable sideways

PTSK3790

# SEWER CABLE KEY

- Suits Ridgid and Rothenburger 32mm cable
- Not easily lost





# PUMP ACTION DRAIN CLEANER

The best Force Pump on the market

• Ideal for toilets, sinks, basins






#### **PIPE CUTTER**

PTPC773

Suit Pex and Poly Pipe 6mm to 32mm

- Easy use
- Light-weight
- No burrs to file off






# PAN SCREW REMOVER KIT

Removes burred or corroded pan screws easily

Kit contains: Drill bit, screw remover to suit brass pan screws, T-handle ratcheting wrench





- The Plumtool Lifter comes with two high tensile lifting bolts to help crack the seal on gatic lids
- The bottom plate is made from 20mm steel and will not bend

#### Ever had trouble lifting a Gatic lid?

Lifting a Gatic cover that has been in place for years can be a real problem. Armed with the right tools and some "know how" the job can be made easier.



Drive the Gatic Wedge between outer frame & cover to crack the rust seal.



Fit Gatic Lifter into place, lower the yoke over the handle of the lifter & tighten the lock nut down.



Place a wedge under the bolt to make allowance for uneven surface around lid. Tighten bolts.



When you apply some pressure to the Gatic Lifter handle, the lid will break free. Job done.

PTGLW569

#### **GATIC WEDGE**

- The Plumtool Gatic Wedge is the perfect tool for loosening Gatic lids
- Designed with a slim taper to be driven into the gaps around the edge of the lid
- Three flat circles have been ground into the surface of the wedge to allow it to be used under the lifting bolt of the Plumtool Heavy Duty Lifter
- For best results use 4 wedges. Leave the wedges in place until the cover is lifted.



#### HEAVY DUTY D HANDLE GATIC LIFTER

Ever had trouble lifting a Gatic lid?

- The Plumtool Lifter comes with two high tensile lifting bolts to help crack the seal on gatic lids
- The bottom plate is 20mm steel, will not bend

PTGL9781



PTGL167



Ever had trouble lifting a Gatic lid?

• Manhole cover lifting made easy





COMPRESSION WRENCH -FLARED PTWR3443

SMALL

Fits all common 1/2 inch Compression nuts

- No adjustment required
- No moving parts to rust up



#### KINKO WRENCH

Fits all common 1/2 inch Kinko nuts

- No adjustment required
- No moving parts to rust up

KINC3777







PTPL545

#### PLUNGER 100/150mm EXTENDABLE HANDLE TO 1650mm

- Kit Contains: 3 x 550mm handles, extends to 1650mm in length
- All stainless steel head will not rust
- Moulded rubber with rounded edges
- Comes in heavy duty storage container (Extra handles available)
- Also contains 150mm plunger rubber





**PTSS762** 

# STEEL STUD DRILL 76mm

The fastest and neatest way to cut holes for downpipes

 Easily cuts pop holes in existing gutters

CUTS GUTTER LIKE BUTTER






## STEEL STUD DRILL 34mm, 58mm


34mm: PTSS343

58mm: PTSS588

#### **Designed for cutting metal studwork**

- Also great for roofing work for overflows, etc
- 34mm to suit yellow grommets





# STUD PUNCH

Designed for cutting holes in steel stud work

- Cuts holes super fast
- Suitable for yellow and red grommets.

F13F303



#### MULTI-FIT GROMMET



- Works in varying thickness of studwork (thickness 0.42mm to 2mm)
- Complies to Australian Standards AS3500.1 12 Clause 5.5 2.2 Part C
- Insulates pipework from steel edges
- Suits hole made by Stud Punch

**PATENTED** 



#### **STEP DRILL**

Designed for drilling steel sheet metal

- Drill overflow holes in rainheads
- Drills up to 3mm thick steel
- Automatic deburring

4mm - 20mm PTST968

5mm - 35mm PTST967







#### **HOLE SAW KIT**

#### Ideal for cupboards

- Bi-metal & M2 high speed steel
- Kit Contains:
- 44mm to suit 40mm DWV Pipe
  - 57mm to suit 50mm DWV Pipe
- 73mm to suit 65mm DWV Pipe
- 7 omini to care comini B \* \* \* \* 1 ipo
- 92mm to suit 90mm DWV Pipe
- 114mm to suit 100mm DWV Pipe
- 7/16 Arbor





PTDA2365

#### MULTI FIT ARBOR

 Can be used to hold two sizes of holes saws to enlarge an exisiting hole



PTHS987

# TUNGSTEN HOLE SAW KIT

#### Great for timber frames and cement sheet

- Pilot drill has tungsten tip suitable for cement sheet or timber
- Sizes to suit DWV pipe
- Drill tips made from certified YB8C Tungsten
- Kit Contains:
   Tungsten tip arbor,
   44mm, 59mm, 73mm,
   93mm, 114mm hole saws



<sup>\*</sup>Should not be used on compressed cement sheet



## RAPID BORE BIT KIT



#### The ultimate wood drilling tool

- Fast drilling and long lasting
- Comes with file to resharpen
- Kit Contains: Allen key for replacing spirals, heavy duty steel carry case, 2 x spare spirals, file for sharpening, 25mm Rapid Bore, 32mm Rapid Bore, 45mm Rapid Bore, 57mm Rapid Bore



RAPID BORE RIT 25mm: PTRB686 32mm: PTRZ7746 45mm: PTRB687

57mm: PTRB685 65mm: PTRB5963



PTTD685

## TRAP DRILL

# Drills and deburs in one action

Designed for drilling inlet in traps for dishwasher installation

SAFETY STOP PREVENTS OVER DRILLING



# **PVC PIPE SAW**WITH DEBURRER

500mm: PTDS3942

- Specifically for cutting PVC pipe
- · Comes with deburrer
- Will not shatter pipe
- 280mm blade length (350mm saw)





PTDT853

#### **DRILL TITE**

#### The fastest way to install pipe cups

· Great for removing rusted or painted nuts



PTDB684

# DOUBLE ENDED DRILL BITS

#### Drills faster, lasts longer

- For common rivets
- No. 30
- Won't slip or run off
- Pack of 10



With the purchase of Plumtool drill bits



Drill Will never sli in chuc again!







#### PLUMTOOL BENDING PLIERS

**Spring Loaded** 

#### STRAIGHT 80MM

- 80mm Jaw
- Used for turning up sheetmetal
- Spring Loaded
- Ideal turn up tool

#### **PTBP181**



#### PTBP891

#### **RIGHT ANGLE 80MM**

- 80mm Jaw
- Used for turning up sheetmetal
- Spring Loaded
- Ideal turn up tool



#### **PTBP151**

#### STRAIGHT 150MM

- 150mm Jaw
- Used for turning up sheetmetal
- Spring Loaded
- Ideal turn up tool





**PTNB222** 

# NAIL BAG

# Tough nylon material, won't rip or tear

- Large pockets for screws or rough-in fittings
- Will hold over 1,000 rivets per pocket
- Comes with optional braces to take the weight off the belt
- Reduces hip fatigue
- Metal buckle and steel reinforced eyelets






PTMB6998

# MAGNO BUCKET

#### Non-slip carry all!

- Built-in magnet holds bucket to steel roof
- Patented base fits to standard corrugated roofing
- 24 litre capacity
- 250mm D x 380mm L x 250mm W







PTPC875

# INTERNAL PIPE CUTTER

#### Diamond blade will not blunt on concrete

- Cuts 40mm up to 150mm
- Extension bars available





PTCT814

### CRIMPING TOOL SHEET METAL OFFSET 5 PRONG

#### 45° Offset Blade

- Perfect for crimping sheet metal flues and downpipes.
- Allows you to create a small end to enable connection.
- The five blades are designed for use with round downpipes and flues



## THERMOCOUPLE TESTING AND REPLACEMENT KIT

Testing and replacement made easy

 This kit includes spanners to suit any thermocouple and also includes a testing device to determine if the existing thermocouple is still working.



Unscrew existing thermocouple from the control unit of the appliance.



Whilst holding down appliance button for 20 seconds, depress the spring on the testing device.



Fit the end of the thermo



Release pressure on the





couple into the tester.



spring of testing device.



Light the pilot using the normal method for the appliance.



If the spring on the testing device remains closed then the thermocouple is working and power is being supplied to the electro-magnet in the testing device. If the spring releases while the pilot light is on, then the thermocouple is faulty and should be replaced.

# THE ORIGINAL AND THE BEST Beware of cheap copies

# SLIMLINE WRENCH


- Slimline jaws are great for tight spots
- Jaw adjustment spins the right way

100mm CODE: PTWW0100

150mm CODE: PTWW0150

200mm CODE: PTWW0200 250mm CODE: PTWW0250

#### **OLD STYLE**



**NEW SLIMLINE JAWS** 



fits into tight spots

opens to





PTTU754

### **TURN UP TOOL**

#### Need the right tool for a decking roof?

#### Kit Contains:

- 4 Interchangeable heads
- 2 x 550mm handles
- 1 x 250mm handle
- Turn down tool for decks
- Turn up tool for tray decks & for 5 rib sheets
- Turn down tool for 5 rib sheets





## HINGED TURN UP TOOLS

125mm: PTTU3954

185mm: PTTU9479

#### The fastest turn up tool for tray deck roofing

- Hinged design opens wide for fast application
- The perfect height turn up every time





PTGR597

## MULTI HEAD WHALE TOOL

#### Want to get that roof done faster?

- Turn up corrugated sheet in seconds
- Two handle sockets to choose from allows for different roof pitches
- Comes with 550mm handle





PTMI5666

# INSPECTION MIRROR

All steel mirror means it will not crack or shatter

• The ball joint allows welding jobs to be viewed from any angle





PTSM773

### SOLVENT MATES APPLICATOR PAIR

Avoid excess usage of primers and solvent cements

- For use in joining PVC pipes and fittings
- Avoid mess
- No more harsh contact with chemicals





### **GLUTOTE**

Knocking over your glue pot can be very expensive.

Also stores Solvent Mate Applicator pair

• Great for hooking onto ladders!

 Spike can be pushed into ground to prevent spillage on uneven surfaces

Solvent Mate Applicators not included





**PATENTED** 



#### FRANZ TAP & DIE KIT

#### For cleaning and fixing crossed threads

- 1/2 inch franz nut great for cleaning teflon off lugged elbows
- Kit Contains: 1/2 inch franz nut and tap. 3/4 inch franz nut and tap, Franz tap spindle cleaner (external), Franz tap bonnet cleaner (internal). Franz nut 10mm for threaded rod

**PTTP652** 

**PTTK528** 

#### **TRADESMAN** KNIFE

- Heavy duty
- 25mm wide blade extends over 100mm
- Comes with 3 spare blades
- Keeps hands away from fibreglass insulation





**PTEA989** 

## SAFETY PROBE INSULATED

# Find underground pipes without digging

- Fully insulated handles, tested to 5,000 volts, to avoid electrocution
- Can be easly dismantled for ease of storage and transport
- Length 1200mm







Assemble the point and extensions. Slide 25mm PVC pressure pipe sleeve over the partly assembled driver.



When the point appears on the opposite side of the path, unscrew it.



Complete assembly by



Withdraw the shaft





attaching the driver head.



Place the Under Path Driver in the trench and drive with a large sledge hammer.



from the 25mm sleeve.



Install the required Pex pipe or wire through the 25mm PVC pressure pipe sleeve.



**PTPP363** 

# PEX SHUT OFF TOOL

- No damage to pipe
- Quality aluminium
- Pipe returns to original shape when pressure is released

**PATENTED** 





#### SHUT OFF TOOL POLY 32MM

Shuts off noly nine un to 32mm

- No damage to pipe
- Pipe returns to original shape when pressure is released

PTSTP332



#### SHUT OFF TOOL POLY 65MM

# Shuts off poly pipe from 20mm up to 65mm

- Dial allows easy change between 20mm, 25mm, 32mm and 65mm poly pipe
- No damage to pipe
- Pipe returns to original shape when pressure is released

PTSTP665





## SDS ROLL KIT

Fits 95% of drills

8 piece roll kit contains:
 5.0 X 210mm, 6.5 X 210mm,
 8.0 X 350mm, 10.0 X 350mm,
 13.0 X 460mm, 16.0 X 460mm,
 20.0 X 460mm, 25.0 X 460mm

PTMD8463



PTDK8758


#### **SDS KIT**

#### Colour coded drills match to wall plug colours for easy selection

50 piece drill kit contains: 5 x 10mmx160mm, 5 x 8.0mmx160mm, 5 x 6.5mmx160mm, 5 x 6.5mmx110mm, 5 x 5.5mmx110mm, 5 x 5.0mmx210mm, 10 x 5.0mmx110mm

- Save time and money
- Instantly select the right drill for the job
- Keeps drills organised and dry
- Drill points made from certified YG8C tungsten





**FMTD3652** 

# FLEXIBLE MIXER TAP DRIVER KIT

Kit Contains: 3/8 Flexible Drive (200mm long), 3/8 Hex Adaptor (40mm long), 3/8 Drive Socket Set; 9mm x 120mm,

- 10mm x 120mm, 11mm x 120mm, 12mm x 120mm, 13mm x 120mm
- · Tighten Basin and sink mixers fast
- Extra long sockets (120mm)
- Flexible shaft for tight spaces



# **plumtool**<sup>™</sup>